







SKID-LIFT.COM

701.799.8228

INFO@SKID-LIFT.COM

SKID-LIFT, LLC 4453 MAIN AVENUE, SUITE G, FARGO, ND 58103



HIGHLIGHTS

- SAFE & EASY TO USE
- USE ON ANY TERRAIN
- LOW INITIAL COST
- CONFIGURABLE
- RUGGED STEEL CONSTRUCTION
- VIRTUALLY MAINTENANCE FREE
- HEAVY WEIGHT CAPACITY
- LARGE OVERALL FOOTPRINT
- SPACIOUS DECK
- WORKS WITH MOST SKID STEERS
- WORKS WITH MOST FARM TRACTORS

FEATURES

- HYDRAULIC CONTROLS
- MANUAL EXTENSION PLATFORM
- OVERRIDING GROUND CONTROL
- FLAT SURFACE TELESCOPIC LEGS
- TILT DECK ±4° (2030E HD ONLY)
- SIDE QUICK ATTACH (2030E HD ONLY)

MODELS

1530S

15' Platform Height (21' Working Height), 5' x 30" Wide Deck, End and Side Access Doors, One Side Attach Plate, Weight: 1500#

2230S

22' Platform Height (28' Working Height), 5' x 30" Wide Deck, End and Side Access Doors, One Side Attach Plate, Weight: 1700#

2030E HD

20' Platform Height (25' Working Height), Includes 4° Side Tilt feature, 6' x 30" Platform with 24" deck extension, End and Side Attach Plates included, Single End Access Doors





Deck Controls with Safety Let-Down Valve




Base Controls with Safety Let-Down Valve and Emergency Stop Switch



Anti-Slip Deck Surface



Standard Fork-Lift Pockets



Quick Attach

SKID-LIFT.COM

701.799.8228 | INFO@SKID-LIFT.COM















SEE THE SKID-LIFT IN ACTION.

701.799.8228 INFO@SKID-LIFT.COM SKID-LIFT.COM













SEE THE SKID-LIFT IN ACTION.

701.799.8228 INFO@SKID-LIFT.COM SKID-LIFT.COM