

# NB Neville Built Trailers

ALUMINUM

## GRAIN TRAILERS



**38 1/2' Aluminum - Double Hopper**



**34' Aluminum - Double Hopper**



**24' Aluminum - Single Hopper**

[www.nevillebuilt.com](http://www.nevillebuilt.com)





**38 1/2' Aluminum - Double Hopper**

## Body Features

- "Self-cleaning" Teflon guides on trap doors. No rollers to freeze up. Sealed bearings on pinion shaft. Double rack and pinion gears on all doors.
- 4" square tube top rail
- 3/8" king pin plate
- 102" wide with 67" tall sides
- 21" clearance from ground to bottom of pinion gears - 23" to bottom of door
- 19" wide trap opening is among the most user friendly on the market
- Seamless body corners
- Ground to top of top rail is 9'7"

## Options

- Sight windows
- Air ride suspensions
- Front and rear aluminum catwalks
- Double ridge straps
- Electric tarps
- 2-speed gear reducers on trap door on 34' model
- Long tongue dollies and turntables
- Aluminum wheels
- LED light package



**38 1/2' Aluminum - Optional White Paint**



# Neville Built Aluminum Grain Trailer Specifications

Length	24'	34'	38'	40'
New 25,000# Rockwell Axles	1	2	2	2
# of hoppers	1	2	2	2
King pin setting	15"	15"	15"	15"
King pin to landing leg	80"	92"	92"	92"
Empty weight*	5,200	8,250	8,700	8,900
Heaped bushel capacity (approx.)	690	1,050	1,125	1,150
Degree of hopper slope	37½	37½	37½	37½
Number of 19" wide doors	1**	2	2**	2**

\* Includes Shur-Lok tarp, steel wheels and radial tires.  
 \*\* 2-speed gear openers standard.



## 40' Aluminum - Double Hopper

### Standard Features

- 25,000# axles - 10 hole hub pilot with steel wheels
- Hutch 9700 3-leaf spring suspension
- New Virgin Radial Tires
- Aluminum exterior ladders (front & rear)
- Sealed wiring system
- 2-speed 50,000 # landing legs
- Shur-Lok tarp system  
(easy-off tarp stops are standard)
- Wabco 2S/1M ABS system with color coded brake lines
- Automatic slack adjusters
- D.O.T. Approved reflective tape





**38 1/2' Steel Horizontal Rib - Double Hopper**

**Neville Built Trailers has been helping farmers, custom harvesters and commercial haulers move millions of bushels of grain across the United States, Mexico and Canada since 1985.** Whether you are in the market for a steel or aluminum grain trailer, consider all the features Neville Built Trailers offer.

- **Sealed wiring system is standard on all grain trailers.** Lights are sealed and mounted in rubber grommets. All trailers 30' and longer have mid-turn signals.



**Long Tongue - drop hitch converter dollie  
- built to last. Custom built to length.**

**Neville Built also offers a complete line of dropdeck trailers,** (including sprayer special dropdecks) and steel ground load and floor livestock trailers. Contact your nearest dealer for more information.



**NB** Neville  
Built Trailers

**5581 SW 50th St. • Kingman, KS 67068**

**800-301-3487 • 620-532-3487**

**Fax: 620-532-1125**

**[www.nevillebuilt.com](http://www.nevillebuilt.com)**

**email: [info@nevillebuilt.com](mailto:info@nevillebuilt.com)**