

### FLATBEDS & DROPDECKS

Jet Company manufactures Flatbeds, Dropdecks and Double Dropdecks.
Wide choice of sizes, configurations and colors.

High Performance trailers designed for Big Payloads.



CALL US FOR YOUR SPECIALTY TRAILERS

### SPECIALTY TRAILERS

Jet Company specializes in standard as well as custom designed trailers. Working with customers is Jet's specialty. With a Jet trailer you get:

Advanced engineering (stronger, lightweight, heavier payload)

High resale value

Quality workmanship

Specialized trailers to fit your needs

Proven performance (Jet tested trailers with 115,000 lbs. of steel in an 8' area over a grueling test track to insure reliability.)

Customer service – at Jet Company we're always looking for tomorrow's business.

Pride and satisfaction knowing you're working with a reputable company that has been in business since 1952.

#### Proven Performance, Quality Workmanship, High Value

Winch Track: Winch track is standard on both sides and is incorporated into the

winches are able to slide by the marker lights. Winches are on the outside of the

siderail. There is no winch track to bolt on. This saves weight and cost. Jet's sliding

1-1/8" apitong (standard) w/ 5/16" plated floor screws

Heavy Duty Flooring: 1-1/4" aluminum, with wood nailers or

Jet Trailers have muscle where you need it and not extra weight. Jet trailers are built strong and have an exceptional degree of durability and performance. Our main beams have the camber automatically precut into the web to reduce stress. Jet uses top industry components for the valves, axles, suspensions, landing

trailer for easier use.

legs and lights to ensure serviceability. Throughout the whole manufacturing process each trailer has to pass strict inspection points before it moves on to the next step. Raise your standards and . buy a Jet Trailer. With a Jet trailer you get manufacturing experience, quality and value.

**POPULAR OPTIONS:** 

- TIRE CARRIER
- BULK HEAD
- BEAVERTAIL
- 12-1/4" X 7-1/2" AXLES
- LIFT AXLES
- SLIDING WINCHES • WINCH STRAPS
- ROPE HOOKS
- SLIDING AXLES
- RECESSED TIE DOWNS • MANUAL DUMP VALVE
- D-RINGS
- AIR RIDE SUSPENSION
- INTRAAX SUSPENSION
- SPRING SUSPENSION
- 10' 1" SPREAD
- CLOSED TANDEM DURA LITE HUBS W/
- **CENTRIFUSE DRUMS**

- · OPTIONAL COLORS
- DUAL TIRE EQUALIZATION SYSTEM
- MANUAL RAISE AND LOWER VALVE
- COIL PACKAGE
- ALUMINUM WHEELS
- · LOWER DECK HEIGHTS
- ADDITIONAL REAR LIGHTS
- ADDITIONAL SIDE MARKER LIGHTS
- TWIST LOCKS
- 1-1/4" APITONG FLOOR
- TOOL BOXES
- · SLANTED DROPS
- SPRING ASSIST HINGED RAMPS • TRI AXLE
- · LOAD LEVELERS
- RAMP HOLDERS

Service lid on floor for easy access

D.O.T. approved reflective stripes

Kingpin: Heavy duty kingpin design with high strength crossmembers

D.O.T. approved sealed lights and sealed wire

**Kneebraces:** Spaced

High Strength Beavertail: Continuous mainbeam, cleats standard (not an add on) When ramps are flipped up, beavertail becomes flat increasing lower deck

> Heavy duty anti-sail mud flaps

**Hub Piloted Axles:** with outboard mounted drums and anti-lock brake system approximately 4 feet apart for extra outside support

Heavy duty, easy to flip,

spring assist ramps

length.

### **Standard Features**

LENGTH - Up to 53' (longer lengths upon request)

WIDTH - 96" or 102" standard

MAIN BEAM – High strength material. Ranges from 24"-28" deep in center. CROSSMEMBERS - 4" high strength aluminum extrusion or 4" high strength steel. Crossmembers are available on 12", 14", 16" centers.

SIDES – 6" high strength aluminum extrusion, 6" steel channel, 8.2 lbs./ft. The siderail is the winch track on both sides. RUBRAIL - 3/8" x 2-1/2" high strength aluminum extrusion or 3/8" x 2"

STAKE POCKETS – Spaced 24" apart with pipe-spool. ID 1-5/8" x 3-7/16".

KINGPIN – 30" is standard. Other settings available.

AXLES – 22,500 lbs. rating for spring suspensions, 25,000 lb. rating for air ride suspension.

SUSPENSION – Air ride available in closed tandem or 10'1" spread. Spring suspension available in closed tandems.

Deep, high strength

beams for bigger

payloads

LANDING LEGS - Two speed. Ultimate load capacity 140,000 lbs.

FLOOR – 1-1/4" extruded aluminum floor or 1-1/8" apitong floor or 2" nominal oak floor. 5/16" zinc plated floor screws.

KNEEBRACES – Approximately every 4 feet supporting outside rail. FINISH – Mylar tape is placed between steel and aluminum components.

Aluminum components have a natural finish. L.E.D. LIGHTS - Protected wire harness. Sealed tail lights. Sealed marker lights. All connections are sealed. Rear lights enclosed in protective

RUBBER BUMPERS - Heavy duty, located on outside corners. MUDFLAPS - Both axles on 10'1" spread, Anti-sail type.

### Standard Trailer has 11' top deck, 37' lower deck, 40" loaded deck height (Many other lengths and lower deck heights available) (D.)

48' x 102" Composite Dropdeck

48' x 96" Composite Flatbed


Steel and Aluminum Combination High strength, lighter weight, bigger payload, more profit

## **STD Beam Rating**

Concentrated Weight in Feet	<b>4°</b> Ratings based on a 48' trailer with	$10^{\circ}$ 3/8" x 5" top and bottom flange with	<b>20'</b> 10'1" spread and 30" kingpin	Evenly Distributed
	50,000 lbs.	53,000 lbs.	58,000 lbs.	80,000 lbs.

Higher Beam Ratings are Available

#### 53' x 102" DROPDECK





the strongest. Standard top and bottom flanges are 3/8" x 5" high strength steel. 1/2" x 5" or larger flanges are used when necessary. Beams are robotically welded for smooth, strong, continuous beads every time. Beams are welded on both sides.



Cleaning and painting procedure on all Jet trailers includes: 7 step corrosion protection process; with phosphate coating and metal sealer

Electrostatic applied paint, 2 coats Epoxy primer plus 2 top coats paint



#### Come and visit us!

At Jet Company, you will find a friendly sales staff looking forward to working with you. Our plant is a very modern manufacturing facility using the latest "state-of-the-art" equipment. Our goal is to build quality products that will serve your needs far into the future. Jet offers one feature you won't find on any other trailer – Experience!

Jet Company is a family owned business with satisfied customers since 1952.

Jet Company holds patents on several products. Its products are sold throughout the U.S., Canada, Europe, China, Central and South America.



Aluminum Grain Trailers - Manufactured in 34', 38', 40' & 42'



Steel Grain Trailers - Manufactured in 22', 26', 30', 34', 36', 38', 40' & 42'



Side Dump Trailers - No center divider, trunnion mounted inverted cylinder & external supports provide for unprecedented side dump stability.



Detachable Gooseneck Trailers - Superior quality, hard working trailers built to stand the test of time. Available in 35 ton or 51 ton series & your choice of models.

# OTHER FINE PRODUCTS MANUFACTURED BY JET COMPANY

Wire Rollers – for barbed wire
Post Drivers – drive steel or wood posts
Roll Tarps – all sizes
Electric Roll Tarps – remote
Steel Grain Trailers
Aluminum Grain Trailers
Pup Trailers
Tag Trailers
Side Dump Trailers
Detachable Gooseneck Trailers



1303 North 13th Street Humboldt, IA 50548

515.332.3117

Fax: 515.332.5092
E-mail: jet@jetcompany.com

www.jetcompany.com



Scan this code to instantly see how Jet can meet all of your trailer needs.



#070114